



Intelligent Terminal - Model Beta



Intelligent Terminal model Beta is a computer specially designed for weighbridge applications, and is used at weighbridges for printing weightment slips and generating weightment reports. Customers can select various software options available in Ashbee library.

Features:

- **Sleek Table Top Design**
- **Easy To Operate**
- **Tamper Proof**
- **Very Good Visibility – Back-lit LCD**
- **IBM Compatible Keyboard**
- **High Record Storage**
- **Various Report Options**

Intelligent Terminal- Model Beta



Intelligent Terminal- Model Beta Specifications

Standard Software Features:

Operating Method	:	<i>Operator Prompting & Menu Based User Friendly operation.</i>
Number of Records (Storage)	:	<i>4200 Completed/ Incomplete Transactions. (In Standard Configuration)</i>
Type of Reports	:	<i>Date-wise/ Truck-wise. Completed/ In-complete Weighments.</i>
Format of Report	:	<i>Serial No. / Key No., Truck No., Gross Weight, Tare Weight, Net Weight and Material Etc.</i>
Weighment Slip Details	:	<i>Weighment Slip contains Serial No., Key No., Truck No., Material/ Party Name, Date, Time, Gross/ Tare/ Net Weight etc. # Minor Customization can be undertaken</i>
Re-Print Facility	:	<i>Duplicate Slips can be printed</i>
Manual Tare Entry	:	<i>Available.</i>

Technical Specifications:

DISPLAY	:	<i>40 Characters X 4 Lines Back-lit LCD</i>
KEYBOARD	:	<i>IBM Compatible PC Keyboard</i>
REAL TIME CLOCK	:	<i>For automatic date and time.</i>
COMMUNICATION	:	<i>Two Communication Ports RS232/ RS485/ RS422/ 20 mA Current Loop, (Switch Selectable for COM1) RS232 for COM2 (Both the ports are optically isolated)</i>
PRINTER PORT	:	<i>One Centronics Compatible Printer Port</i>
POWER REQUIREMENT	:	<i>230 VAC</i>
CIRCUIT PROTECTION	:	<i>Through Fuse (1 A)</i>
INTERNAL BATTERY LIFE	:	<i>Allows the data to be stored in the Memory for a period of 10 days without the system is being ON.</i>
Operating Temperature Range	:	<i>10°C to 55°C</i>
Storage Temperature Range	:	<i>0 to 70°C</i>
Relative Humidity	:	<i>Max95% RH (non-condensing)</i>

Intelligent Terminal- Model Beta

Ashbee Systems Pvt. Ltd.

Factory & Registered Office: C-64, Okhla Industrial Area, Phase-I, New Delhi-110 020 (India)
Tel: 91-11-26816687/88/89/90, Fax: 91-11-26816566.

Sales & Service Offices:

Delhi: 28 Rani Jhansi Road, New Delhi 110 055. (India) Tel: 91-11-23535312/ 23615286 / 23523745 Fax No: 91-11-23638898

Ahmedabad: 506 Golden Triangle, 5th Floor, Navrangpura, Ahmedabad-380 009 (India) Tel: 91-79-26402791, Mobile 9825006163

Ludhiana: Regal Building, Near Congress 'I' district Office, G.T. Road, Ludhiana, Punjab (India)
Tel: 91-161-2721670 Mobile 9815615158 & 9815336910

Kochi: 90, Kumaranasan Nagar, Ernakulam, Kochi-682020. Tel: 91-484-2204450, Fax No. 91-484-2205450.

E-mail: info@ashbee.com **Website:** www.ashbee.com

ashbee

Intelligent Terminal- Model Beta