



## JUMBO DISPLAY

This is for easy view from a distance and is normally used as second display for weighbridges.



### **Features:**

- 58 mm height Red LED Display
- Good visibility
- Table Top/ Wall Mounted
- Connects to Main Indicator (UMC/UMC+) through a serial cable

JUMBO DISPLAY

**ashbee**  
**JUMBO DISPLAY**  
**Specifications**

<b>CPU</b>	:	Intel 8085
<b>DISPLAY</b>	:	5 Digit 2.3" bright red 7 Segment LED
<b>COMMUNICATION</b>	:	One Serial port selectable as RS232 or 20mA current loop
<b>COMMUNICATION PARAMETERS</b>	:	Baud Rate 1200 Data Bits 7 Parity Odd Stop Bits 2
<b>DIAGNOSTICS</b>	:	Segment Test by rolling numbers
<b>POWER REQUIREMENT</b>	:	230 VAC
<b>POWER CONSUMPTION</b>	:	15VA Typ..
<b>CIRCUIT PROTECTION</b>	:	Through Fuse (0.1A)
<b>MOUNTING TYPE</b>	:	Wall mounting type brackets provided
<b>Operating Temperature Range</b>	:	10°C to 55°C
<b>Storage Temperature Range</b>	:	0 to 70°C
<b>Relative Humidity</b>	:	Max 95% RH (non-condensing.)

---

**Ashbee Systems Pvt. Ltd.**

**Factory & Registered Office:** C-64, Okhla Industrial Area, Phase-I, New Delhi-110 020 (India)  
Tel: 91-11-26816687/88/89/90, Fax: 91-11-26816566.

**Sales & Service Offices:**

**Delhi:** 28 Rani Jhansi Road, New Delhi 110 055. (India) Tel: 91-11-23535312/ 23615286 / 23523745 Fax No: 91-11-23638898

**Ahmedabad:** 506 Golden Triangle, 5th Floor, Navrangpura, Ahmedabad-380 009 (India) Tel: 91-79-26402791, Mobile 9825006163

**JUMBO DISPLAY**

**Ludhiana:** Regal Building, Near Congress 'I' district Office, G.T. Road, Ludhiana, Punjab (India)  
Tel: 91-161-2721670 Mobile 9815615158 & 9815336910

**Kochi:** 90, Kumaranasan Nagar, Ernakulam, Kochi-682020. Tel: 91-484-2204450, Fax No. 91-484-2205450

Email: [info@ashbee.com](mailto:info@ashbee.com) Website: [www.ashbee.com](http://www.ashbee.com)

# ashbee

JUMBO DISPLAY